

Message

From: Koffi, LaRonda [Koffi.LaRonda@epa.gov]
Sent: 5/16/2018 2:46:12 PM
To: Yap-deffler, Yazmine [Yap-Deffler.Yazmine@epa.gov]
Subject: RE: Bishop Tube

Hi Yaz,
Here the priority levels are below. I recommend "Priority 4."

Priority Levels:

Priority 1: Immediate attention required (eg. gas explosion, public health threat);

Priority 2: "48-hour" response (eg. Ex. 5 Deliberative Process (DP))

Priority 3: Ongoing attention advised (eg. PFOS or lead issue; APD SIP issue)

Priority 4: Normal operations (eg. BF event, check signing; VIP meeting). Priority 4 briefings will often relate to events being attended by the RA. Use the pre-existing event briefing format, which goes into more detail related to logistics, for Priority 4 issues.

EPA Goal Supported (listed on page 1 of EPA Strategic Plan), such as:

EPA Goal Supported: Improve air quality

EPA Goal Supported: Cooperative federalism

EPA Goal Supported: Provide for clean and safe water

EPA Goal Supported: Ensure safety of chemicals in marketplace, etc.

From: Yap-deffler, Yazmine
Sent: Wednesday, May 16, 2018 10:41 AM

To: Dietz, Linda <Dietz.Linda@epa.gov>; Koffi, LaRonda <Koffi.LaRonda@epa.gov>; Melvin, Karen <Melvin.Karen@epa.gov>
Cc: Hirsh, Steven <Hirsh.Steven@epa.gov>
Subject: RE: Bishop Tube
Importance: High

Attached is the Bishop Tube RA briefing paper using the latest format. Note, I left the Priority Level blank as I don't know the codes.

Please let me know if you have any questions or comments.

Thanks,
Yaz

Yazmine J. Yap-Deffler, Chief
Site Assessment & Non-NPL Federal Facilities Branch (3HS12)
US EPA Region III
1650 Arch Street
Philadelphia, PA 19103
215-814-3369 (Office)
267-761-2089 (Cell)
yap-deffler.yazmine@epa.gov

From: Dietz, Linda
Sent: Monday, May 14, 2018 12:56 PM
To: Koffi, LaRonda <Koffi.LaRonda@epa.gov>; Hirsh, Steven <Hirsh.Steven@epa.gov>; Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: RE: Bishop Tube

Yes - Thanks

Linda Dietz, Acting Deputy Director
Hazardous Sites Cleanup Division
EPA Region 3
215-814-3195 (desk)
215-892-8261 (cell)
Dietz.linda@epa.gov

From: Koffi, LaRonda
Sent: Monday, May 14, 2018 12:35 PM
To: Dietz, Linda <Dietz.Linda@epa.gov>; Hirsh, Steven <Hirsh.Steven@epa.gov>; Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: RE: Bishop Tube

Linda,
I guess they should download and use this briefing format?

RA Briefing One Pager 17APR.docx

To: Hirsh, Steven <Hirsh.Steven@epa.gov>; Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Cc: Koffi, LaRonda <Koffi.LaRonda@epa.gov>
Subject: Bishop Tube

Hi – Several months ago Maya Van Rossum came into EPA and talked about the Bishop Tube Site (PA) to us. I can't remember if either of you were in your position at that time but I do remember Site Assessment was present. Cos wants to call the Township and get a status of what is going on. In preparation, he is requesting a one page briefing paper. Can you have your staff put a paper together with their most recent information. Please send it to LaRonda, Karen, and I. Thanks

Linda Dietz, Acting Deputy Director
Hazardous Sites Cleanup Division
EPA Region 3
215-814-3195 (desk)
215-892-8261 (cell)
Dietz.linda@epa.gov